Electrophoresis Systems for Nucleic Acids


Submerge Series

•ATTO provides submarine type electrophoresis equipments as "Submerge series". These have horizontal type chamber used for electrophoresis of agarose gel.

Principle


When nucleic acid (DNA/RNA) is dissolved in buffer solution, etc. it has a negative charge. When this solution (sample) is added to agarose gel and electrophoresed in buffer solution for a regulated time, the level of migration shown is in accordance with the size of nucleic acid due to the molecular sieving effect of gel. When this is dyed with ethidium bromide, etc. and detected, the electrophoresis pattern of nucleic acid can be obtained. It is possible to obtain the size from this pattern (size marker is necessary) or to obtain information on gene type for individual

recognition.



Usage example, Gene Test

Gene test is used in wide range of fields including examination of bacteria and virus infection, examination of GMO (genetically modified organisms) or food allergens, determination of breed of agricultural products (plants), animals, fish, insects and bacteria and forensic medicine/anthropology as well as in the diagnosis of diseases including cancer. Generally, a method of DNA extraction ~ PCR method (gene amplification method) ~ Agarose gel electrophoresis ~ Gel imaging/analysis is used.



Determination example of result Positive: Sample A, B, C, Negative: Sample D Determination is made according to the presence of the target gene for examination (band) based on whether a band of marker DNA is detected or not.

Electrophoresis Systems for Nucleic Acids

Submerge Series


■ATTO Submarine Electrophoresis System Lineup

Туре	AE-6100	AE-6111	AE-6125	AE-1633
Gel size	80 mm (W) x 100 mm (L)	120 mm (W) x 160 mm (L)	150 mm (W) x 200 mm (L)	200 mm (W) x 150 mm (L)
Sample Comb	10 wells (well width: 3mm)	26/13 wells (double teeth comb) (well width: 3 and 6 mm)	32/16 wells (double teeth comb) (well width: 3 and 6 mm)	42/21 wells (double teeth comb) (well width: 3 and 6 mm)
Buffer	300 to 500 mL	700 to 1200 mL	1300 to 1800 mL	1600 to 1900 mL
Dimensions	190 (W) x 100 (D) x 80 mm (H) 0.5 kg	286 (W) x 150 (D) x 83 mm (H) 1.5 kg	350 (W) x 183 (D) x 100 mm (H) 1.8 kg	330 (W) x 233 (D) x 100 mm (H) 2.0 kg

•Selection standard for electrophoresis apparatus

Please select a submerged series electrophoresis system according to the sample, either "Gel size" or "Sample comb".

E.g.: If the number of samples (specimens) is large, it is recommended to choose a spec. with a large width (W), and to choose a spec. with long gel (L) if the number of bands is large.




Selection of Power Supply

Power supply	Name	AE-6100	AE-6111	AE-6125	AE-6133
AE-8155	myPower II 500	0	\bigtriangleup	×	×
AE-8135	myPower II 300	0	0	\bigtriangleup	\bigtriangleup
AE-8450	powerStation 1000VC	0	0	0	0
AE-8750	powerStation 1000XP	0	0	0	0
AE-8800	ConstaPower 3000	0	0	\bigtriangleup	\bigtriangleup
AE-8300	CrossPower 150	0	\bigtriangleup	×	×

 \bigcirc : Recommended \triangle : OK (Performance may be limited according to the specification of the model) \times : Not suitable

Electrophoresis Systems for Nucleic Acids

Small Type Submarine Electrophoresis System



Code No.	Туре	Name
2322153	AE-6100	Agarose EP Kit, 1mm
2322110	AE-6100	Agarose EP Kit, 1.5 mm
2322178	AE-6111	Agarose EP Kit

Features

- Easy-to-use size, small/middle sized electrophoresis chamber
- UV light transmission gel rack
- Gel cavity (hole) (AE-6100) or groove (AE-6111) from which gel does not slip out is furnished.
- New shaped sample comb produces sharp band images, and No. of double blade type specimens/band width are selectable.

Specifications

Name	AE-6111 Agarose EP Kit	AE-6100 Agarose EP Kit
Gel size	120 (W) x 160 (L) mm	80 (W) x 100 (L) mm
Gel thickness	Up to 8 mm	Up to 10 mm
Sample Comb	1 mm 26/13-well double teeth comb	1 or 1.5 mm 10-well
	(Well width: 3 and 6 mm)	
Comb tooth length	12 mm	15 mm
Material	Acrylic plastic, except platinum for electrodes, polycarbonate for safety cover,	Acrylic plastic, except platinum electrode and
	polypropylene for combs, silicone rubber for dams and drain tube, neoprene rubber	polycarbonate lid
	for buffer inlet and outlet stoppers	
Buffer volume	700 - 1200 mL depending on gel thickness and use of buffer circulator	300 - 500 mL depending on gel thickness
Dimensions	286 (W) x 150 (D) x 83 (H) mm, 1.5 kg	190 (W) x 100 (D) x 80 (H) mm, 0.5 kg

*Please refer to the list at the end of the catalog for optional combs and comb holders

Pattern Data

λ/Hind L	Ш	
23130 9416 6557 4361		
2322 2027		